

**W203 - October 26, 2020: Enzyme Substrate Method (MPN/100 ml) - Time of Analysis (hours)**

Lab No.	W1-TC	W1-Th	W1-Ec	W2-TC	W2-Th	W2-Ec	W3-TC	W3-Th	W3-Ec	W4-TC	W4-Th	W4-Ec	Analysis Time (hours)	Media
1	32.4	NT	*0	9.9	NT	*0	64.9	NT	*0	22.2	NT	0	24	Colilert-24
17	30	NT	30	17	NT	17	64	NT	64	17	NT	0	24	Colilert-18
22	16	NT	16	16	NT	16	>23	NT	>23	16	NT	0	72	Colitag
27w	32	NT	*1	20	NT	*1	55	NT	*2	15	NT	0	48	Colilert-24
33	32.7	31	31	14.8	14.6	14.6	61.2	61.2	61.2	17.3	0	0	48	Colilert-18
33	52.1	NT	52.1	18.7	NT	18.7	52	NT	52	21.6	NT		48	Colisure
36	34	39	34	17	17	17	51	59	17	12	0	0	48	Colilert-18
36	30	NT	*4	18	NT	*0	46	NT	*6	16	NT	0	48	Colilert-24
38w	31	NT	31	15	NT	15	70	NT	70	22	NT	0	24	Colilert-18
44	43	NT	23	13	NT	*2	73	NT	*9	23	NT	0	48	Colilert-24
44	33	NT	33	23	NT	23	72	NT	72	25	NT	0	48	Colilert-18
48	52	NT	52	10	NT	10	*135	NT	*135	20	NT	0	48	Colilert-18
49w	33	35	*1	11	14	*1	58	71	*4	15	0	0	24	Colilert-18
61	30.9	NT	30.9	14.4	NT	14.4	63.1	NT	63.1	14.6	NT	0	48	Colilert-18
61	45	NT	45	19.9	NT	19.9	80.1	NT	80.1	16	NT	0	48	Colisure
86	35.5	NT	35.5	18.9	NT	18.9	65	NT	65	12.1	NT	0	48	Colilert-18
86	34.1	NT	34.1	19.7	NT	19.7	62.4	NT	62.4	18.7	NT	0	48	Colilert-24
94	38.4	NT	38.4	8.7	NT	8.7	88.5	NT	88.5	19.2	NT	0	24	Colilert-24
96	25.9	NT	18.5	24.3	NT	13.4	63.7	NT	38.4	21.6	NT	0	24	Colilert-24
99	31.3	26.2	27.1	21.6	16	21.6	67	69.5	63.8	12.2	0	0	48	Colilert-18

\*outliers not included in statistical calculations      NT - not tested